



Falkland Islands Government



# HIGHLY PATHOGENIC AVIAN INFLUENZA

## 2024/2025

Notes and guidance for  
stakeholders and visitors

If you see any unusual symptoms in wild birds, poultry or other wild or domestic animals you should report these to the FIG Veterinary Service by email or telephone.

Email: [birdflu@naturalresources.gov.fk](mailto:birdflu@naturalresources.gov.fk)

Telephone: 27366

Out of hours: 55366

For more information and to monitor current outbreaks visit [falklands.gov.fk/agriculture/avian-influenza](http://falklands.gov.fk/agriculture/avian-influenza)

**This document gives general preventative guidance on biosecurity measures that should be taken in relation to reducing the introduction and spread of avian influenza, to prevent wild birds, animals, poultry and people from becoming sick. All actions are highly recommended even when there are no suspected or confirmed cases of avian influenza. However, when there are suspected or confirmed cases of avian influenza all the actions become mandatory and must be complied with.**

**This document represents biosecurity guidance that is published in accordance with section 6A of the Animal Health Act 1981 (the Act). Where applicable, this document should be read together with any relevant specific declarations, Notices, Orders and legal measures in force at the time, and detailed on [falklands.gov.fk/agriculture/avian-influenza](http://falklands.gov.fk/agriculture/avian-influenza). Measures may include declaring Suspect Places, Temporary Control Zones, Infected Places, Protection Zones and Surveillance Zones.**

**Please read the document carefully paying particular attention to your relevant areas.**



# CONTENTS

Introduction.....	1
Typical symptoms of avian influenza.....	2
Avian influenza in people.....	4
Reporting sick or dead birds and animals.....	5
Falkland Islands Government response.....	6
What if there is a suspected case of avian influenza...	7
What if there is a confirmed case of avian influenza...	8
Legislation.....	9
What is Biosecurity?.....	10
Practicing good biosecurity: cleaning guidelines.....	11
Footbaths and disinfectants.....	12
What is PPE?.....	13
Advice for the general public.....	14
International visitors.....	15
Cruise vessels.....	16
FIGAS and airstrip operators.....	17
Tour agents and operators.....	18
Land owners, farmers and farm tours.....	19
Hotels, lodges and self-catering accommodation.....	20
Poultry owners.....	21
Fisheries scientists and fisheries operations.....	23
Researchers and other licence holders.....	25
Merchant vessels.....	27
Yachts and private vessels.....	28

# INTRODUCTION



## **BASICS OF AVIAN INFLUENZA:**

- Avian influenza, also known as bird flu, is a virus that causes disease in poultry and wild birds. It originated in poultry and spread to wild birds causing devastating losses. It can cause disease in other animals such as seals and dolphins, other scavenging mammals, livestock and pet animals. It can also affect humans.
- The current worldwide outbreak is caused by a highly pathogenic strain generally specified as H5N1. Highly pathogenic means it causes serious disease.
- Outbreaks of avian influenza have resulted in deaths of hundreds of thousands of seabirds and wildfowl in areas within the Northern Hemisphere, Atlantic, Pacific Ocean, Southern Africa and South America.
- Poultry industries worldwide have been severely impacted with millions of poultry slaughtered to reduce the spread of the disease and protect human health.
- In 2023, avian influenza was confirmed in the Falkland Islands and South Georgia. It's likely route of introduction was via foraging or migrating birds or vagrant birds. As there is no control over this type of disease spread vigilance and reporting are essential.
- Avian influenza may also be carried in by people arriving in the Falklands. This is why there are enhanced biosecurity requirements in place such as foot baths at international arrival points.

# TYPICAL SYMPTOMS OF AVIAN INFLUENZA



## TYPICAL SYMPTOMS SEEN IN BIRDS AND ANIMALS:

- Sudden death
- Neurological issues such as loss of coordination and balance
- Trembling head and body
- Swollen head
- Closed and excessively watery or glazed eyes
- Lethargy and depression, unresponsiveness, lying down, drooping wings, dragging legs
- Twisting of the head and neck
- Haemorrhages on shanks of the legs and under the skin of the neck,
- Respiratory distress such as gasping (mouth breathing), nasal snicking (coughing sound), sneezing, gurgling or rattling
- Discoloured or loose watery droppings, bright mint green in some species
- Increased respiratory secretions (lots of drooling from mouth and nose)
- Sudden milk drop reported in cattle
  
- In addition, within poultry it may be possible to observe:
  - Loss of appetite or marked decrease in feed consumption,
  - Sudden increase or decrease in water consumption,
  - Fever or noticeable increase in body temperature,
  - Cessation or marked reduction in egg production or viability of eggs

## **TYPICAL SYMPTOMS SEEN IN SEALS/DOLPHINS:**

- A sudden and rapid increase in the number of animals found dead.
- Neurological signs such as tremors, convulsions and paralysis.
- Respiratory signs such as difficulty breathing with discharges from the nose or mouth.
- Stranded animals.
- Aborted pups.

## **SPREAD OF THE AVIAN INFLUENZA VIRUS:**

- The avian influenza virus survives in moist, cool environments and can survive for up to 200 days in the temperature range between 4-37°C.
- Wet boggy areas where lots of birds visit are high risk areas for spread of the virus.
- The virus spreads between birds by direct contact or by birds being in contact with faeces or respiratory secretions shed from infected birds.
- Infected birds can shed the virus for up to 30 days.
- Spread between sites can be by birds and other animals or by humans carrying the virus on boots, equipment or wheels.
- The virus can be airborne over a limited distance.
- The incubation period (i.e. how long it takes for an exposed bird to get sick) can be up to 14 days but is usually a lot shorter.
- The virus can penetrate egg shells but is not dangerous if the egg is properly cooked, however handling the eggs is a risk to human health.



# AVIAN INFLUENZA IN PEOPLE

- The few strains that have been recorded as infecting humans do not do so easily and the risk to human health during an outbreak is usually extremely low.
- However, prolonged and close contact with sick birds or animals increases your chance of contracting avian influenza, and if you do contract it you are likely to be extremely unwell and possibly die from the virus.
- If you become unwell with respiratory symptoms after handling or being in the same area as birds or animals you must seek medical advice immediately.

**DO NOT TOUCH SICK OR DEAD BIRDS OR ANIMALS - ONLY VETERINARY OFFICERS OR TRAINED PERSONNEL SHOULD SAMPLE OR HANDLE SICK OR DEAD BIRDS OR ANIMALS.**

For more information and to monitor suspected and confirmed cases visit: [falklands.gov.fk/agriculture/avian-influenza](http://falklands.gov.fk/agriculture/avian-influenza)



# REPORTING SICK OR DEAD BIRDS AND ANIMALS



- If you see any unusual symptoms in birds or animals you should report these to the FIG Veterinary Service by email or telephone.
- Email: [birdflu@naturalresources.gov.fk](mailto:birdflu@naturalresources.gov.fk)
- Telephone: 27366.
- Out of hours 55366.
- It is essential that you try and gather as much information as you can while first and foremost keeping yourself safe. Note species affected, exactly where they are and what they are doing.
- Your observations will be valuable - take photos or videos if you can. Show the bird or animal and a wider shot showing location.
- Marking the bird or animal with a pile of rocks or a stick or noting co-ordinates or using What3Words is very useful
- When you make a report you will be asked to complete a form, or the FIG Veterinary Service will complete the form with you, so note down as much information as possible.



# FALKLAND ISLANDS GOVERNMENT RESPONSE



## **WHAT IS THE FALKLAND ISLANDS GOVERNMENT DOING?**

- The Falkland Islands Government is constantly assessing international outbreaks and the risk to the Falkland Islands. It will keep the public informed and updated via radio, television, social media and press releases when there are suspected or confirmed cases of avian influenza.
- The Falkland Islands Government has an outbreak response prepared and mitigation measures are in place to reduce the risk of the virus being introduced by people or equipment. These measures include additional biosecurity actions for international flight arrivals and passengers disembarking from cruise ships.
- If there is a confirmed outbreak there will be additional actions imposed on infected areas.

# WHAT IF THERE IS A SUSPECTED CASE OF AVIAN INFLUENZA?



## **SUSPECT CASES:**

- If there are reports of symptoms or dead birds or animals that trigger the threshold for further investigation the Veterinary Service may give notice that there is a suspected case at that premises or place. The FIG Veterinary Service may swab and screen birds or animals without declaring a suspect case.
- If they suspect disease is present, a Veterinary Officer may declare a suspect place. Following this, after having consulted with the Senior Veterinary officer, the Director of Natural Resources might declare an area, including the suspected place, as a Temporary Control Zone (TCZ) (this will usually be an area of 1-3km around the suspect place). This is to protect human health and prevent the human spread of the disease if indeed it is present.
- There may be certain restrictions or requirements placed on the suspect areas and TCZ if they are declared (reduced and recorded movement of people, equipment and vehicles, mandatory biosecurity requirements, no unauthorised movement of some animals and animal products and contacts between some domestic and wild animals must be limited to limit risks of transmission. FIGAS and ferry services may be suspended for some days.
- These restrictions will be in place while swabs are taken from affected birds or animals. If the swabs return a negative result for avian influenza the site will be reopened as quickly as possible and restrictions lifted through a written notice.

**IF A NOTICE IS ISSUED ON A SUSPECT PLACE OR A TEMPORARY CONTROL ZONE IS DECLARED, RESTRICTIONS AND BIOSECURITY ACTIONS WILL BE MANDATORY**

# WHAT IF THERE IS A CONFIRMED CASE OF AVIAN INFLUENZA?



## **CONFIRMED CASES:**

- If avian influenza is confirmed by testing, the place (colony, farm or area) will be declared an infected place by the Director of Natural Resources and where necessary, a protection zone which includes the infected place will be declared; this will be an area of 3-5km. This will be done through Executive Council as the requirements to contain avian influenza may cause significant disruption. Further to this a surveillance zone may be declared for disease monitoring purposes.
- FIGAS and ferry operations may be suspended for several days while enhanced biosecurity measures are put in place.
- In certain instances, there will be no unauthorised access to and from sites. Movements within the last 14 days might have to be traced and poultry in the protection zone will have to be strictly isolated from wild birds.
- If the confirmed case is in a poultry flock they will have to be culled to reduce the spread of the virus as much as possible (as will poultry immediately neighbouring the affected flock).
- The restrictions placed will depend on the level of response required. Level 1 responses where there are only a few dead or symptomatic birds or animals will be less restrictive than a level 3 response.
- The Falkland Islands may lose thousands of important seabirds or vulnerable species. There may be distressing sights of many dead or sick birds and you must stay away from infected sites to protect your own health.
- There might be a significant effect on the tourism industry.

**IF AN INFECTED PLACE OR PROTECTION ZONE IS DECLARED, RESTRICTIONS AND BIOSECURITY ACTIONS WILL BE MANDATORY**

# LEGISLATION



## MAIN LEGISLATION:

**Animal Health Ordinance 1998 (as amended)** adopts, with modifications, the provisions of the UK Animal Health Act as law of the Falkland Islands. The Animal Health Act provides powers for the control of outbreaks of animal disease for the purpose of preventing the spread of the diseases. Avian influenza is a notifiable disease under the Animal Health Act. This means people are obliged, by law, to immediately report suspicions of this disease and in turn the Falkland Islands Government must report to the World Organisation for Animal Health if it is confirmed in the Falkland Islands.

**Animal Health (Emergency Measures for Outbreaks of Infectious Diseases) Order 2022 (as amended)** gives Veterinary Officers, the Director of Natural Resources and the Governor (the administrators) power to notify an occupier of a premises as a 'suspected place' and declare certain premises, areas or public places as infected places, temporary control zones and/or protection (+/- surveillance) zones. This Order gives legal power to the administrators to specify, in the notice or declaration, the applicable restrictions and requirements which may include those relating to movement of animals or people, cleansing and disinfection. The declaration requirements and restrictions for a protection zone must be approved by Executive Council. Existing license holders in any sector or members of the general public who are affected by the restrictions under the Order and who wish to move animals, poultry or animal products, may apply for a license under Article 9 of the 2022 Order. Non-essential people may apply to move by license.

**Animal Health Matters Ordinance 2022** amends the Stanley Common Ordinance 1999 and clarifies the applicability of restrictions and requirements made under the Animal Health Act to the Stanley Common for the purpose of controlling diseases or reducing the risk to human health from any disease.

# WHAT IS BIOSECURITY?



- Biosecurity refers to procedures or measures designed to prevent the introduction and/or spread of harmful biological or biochemical substances.
- It includes all actions such as using import permits for certain items, searching at airports for prohibited goods and cleaning and disinfection measures.
- Cleaning and disinfection measures are extremely important to reduce the risk of the spread of the avian influenza virus between wildlife sites or between wildlife sites and domestic poultry, livestock or pets.
- Biosecurity actions should be performed **BEFORE** you travel to the Falkland Islands and anyone traveling between sites in the Falkland Islands should practice good biosecurity.

# PRACTISING GOOD BIOSECURITY: CLEANING GUIDELINES

## **Outdoor clothing (outer layers, including coats, waterproofs, walking trousers, gators)**

- Before arrival in the Falkland Islands or at the start of the tourist season wash all outdoor gear at 60 degrees. If this is not possible, clothing should be visibly clean and waterproof materials sponged or sprayed with Virkon or bleach solution.
- Pockets should be turned inside out and shaken or vacuumed to ensure they are completely clean.
- Velcro and mesh areas should be clean – no seeds, no fluff, no dirt. A small wire brush or paperclip is ideal for cleaning.
- After every site visit waterproof clothing should be cleaned and disinfected.
- Coats and gators should be checked and wiped as needed.

## **Outdoor boots & footwear, including sports shoes etc.**

- Wearing rubber boots is highly recommended for ease and efficacy of biosecuring.
- Before arrival in the Falkland Islands, on arrival and on leaving each wildlife site scrub the outside of all boots with a brush and water. Ensure treads are clean i.e. – no faeces or soil, no pebbles or dirt (pay attention to narrow treads or around logos). A screwdriver, hoof pick or bent paperclip can help clean out the difficult to reach areas.
- On hiking boots or walking shoes pay attention to mesh areas and laces, tongues etc.
- Dip or spray external surfaces in Virkon or bleach then leave to dry (don't rinse off the Virkon).

## **Rucksacks, camera bags etc.**

- Before arrival in the Falkland Islands and before starting each tour, ensure they are free from any soil or faeces. If washable, put them in the machine at 60 degrees or sponge off any dirt and wipe/spray with Virkon or bleach.
- Vacuum compartments and pockets to make sure they are completely clean.
- During tours do not leave bags on the ground. Wear them or leave them inside vehicles.

## **Walking poles, tripods and other outdoor equipment, including research materials.**

- Before arrival in the Falkland Islands and between visiting different wildlife sites any items that come into contact with wildlife, the ground or freshwater ponds, should be cleaned and disinfected with Virkon or bleach.

# FOOTBATHS AND DISINFECTANTS



## Check

Check out-door clothing, boots, and equipment for soil, seeds, and bugs.

## Clean

Clean by picking off visible debris, and scrub with a brush

## Wash

Wash your boots with water, and a scrubbing brush to remove dirt.

## Dip

Dip in or spray with a disinfectant such as Virkon® or a 3.5% Bleach solution

When starting your journey please clean your boots and clothing.

When returning home do the same please, clean your boots and clothing before you depart.

- **DISINFECTANTS WON'T WORK THROUGH MUD, FAECES OR VEGETATION - ITEMS NEED TO BE CLEANED BEFORE DISINFECTION.**
- **FOLLOW VIRKON MIXING INSTRUCTIONS CAREFULLY.**
- **REPLACE VIRKON IN FOOTBATHS WHEN IT IS DIRTY OR LOST ITS BRIGHT PINK COLOUR - IT IS USUALLY PINK FOR 5-7 DAYS.**
- **ALLOW VIRKON TO DRY ON ALL EQUIPMENT - DO NOT RINSE OFF**
- **IF YOU DO NOT HAVE VIRKON USE A 3.5% BLEACH SOLUTION (that is 35ml of bleach mixed in water to make 1ltr total).**
- **SALT (SEA) WATER IS ALSO EFFECTIVE AT REMOVING THE VIRUS (but this is not as efficient as Virkon or bleach).**

# WHAT IS PPE?



## PERSONAL PROTECTIVE EQUIPMENT:

- PPE is equipment such as gloves or aprons designed to keep you clean and safe from harm (e.g. heat, chemicals or infectious material).
- PPE must be worn if you are handling wildlife or sick poultry.
- **FULL PPE** for dealing with potentially infectious material includes:
  - rubber boots that can be disinfected;
  - impervious coveralls (with hood) that can be fully disinfected or disposable;
  - Eye protection such as face shield, goggles or safety glasses;
  - FFP2 or ideally FFP3 disposable facemask;
  - 2 pairs of disposable gloves.
- **FULL PPE** must be worn in suspected or confirmed cases of avian influenza.
- **Precautionary** PPE to be worn in the general handling of wildlife when there is little or no risk of avian influenza means you can reduce the level of PPE to wear standard surgical face-masks, one pair of gloves and washable boots and overalls.

## DISPOSAL/CLEANING OF PPE:

- PPE should be removed as soon as you are leaving the bird area i.e. do not drive home wearing PPE or directly visit another site.
- Reusable PPE that can be disinfected should be thoroughly washed down and disinfected on site or placed in a sturdy bin bag and cleaned at the soonest opportunity.
- Disposable PPE should be immediately placed in a sturdy bin bag.
- Bags should be tied or sealed and the outside thoroughly disinfected.
- Bin bags of disposable PPE should be burnt or incinerated.
- Washable PPE should be scrubbed clean and disinfected with Virkon or 3.5% bleach OR washed at 60°C.
- Thoroughly wash or disinfect your hands after removing PPE.
- **NEVER EAT DRINK OR SMOKE WHILE WEARING PPE.**



# GENERAL PUBLIC

INCLUDING DOG WALKERS, HIKERS AND THOSE VISITING ANY PLACE IN THE FALKLAND ISLANDS



## **PRACTISING GOOD BIOSECURITY TO PREVENT SPREAD:**

- Avoid close contact with wild birds or animals.
- Do not allow your dogs to run among groups of wild birds. Keep pets away from sick or dead birds and animals. Mammals scavenging on carcasses infected with avian influenza can contract the virus.
- Keep 5-6m away from all wildlife - this is a standard requirement of the Countryside Code
- Do not place any belongings or sit near any birds for prolonged periods.
- Use foot-baths or disinfectant mats where provided.
- Clean and disinfect boots and outdoor gear before and after visiting wildlife sites. Saltwater is an effective treatment to wash off the virus.
- Use different and dedicated footwear and gloves for caring for domestic poultry at home.
- **DO NOT TOUCH SICK OR DEAD BIRDS OR ANIMALS.**
- **REPORT ANY UNUSUAL FINDINGS.**
- **If there is a suspected or confirmed case of avian influenza there will be additional biosecurity measures at airstrips, ferry terminals and wildlife sites. You may be advised to avoid specified areas or areas may be closed for a period of time to non-essential people. There may be disruption to flights and ferries.**

**IF A SUSPECT OR INFECTED PLACE, OR ZONE, IS DECLARED, RESTRICTIONS AND BIOSECURITY ACTIONS WILL BE MANDATORY**

# INTERNATIONAL VISITORS

INCLUDING TOURISTS, IN-TRANSIT CREW, VISITING SCIENTISTS, FAMILY MEMBERS, MOD PERSONNEL AND ALL OTHER ARRIVALS AND DEPARTURES



## **ROLE OF INTERNATIONAL VISITORS ON ARRIVAL:**

- Please follow the biosecurity cleaning guidelines PRIOR to arrival in the Falkland Islands.
- If arriving by air, please be aware you will be asked to show outdoor footwear and equipment on arrival.
- Biosecurity staff will routinely examine and dip the soles/tips in Virkon.
- Please be patient, even if you know you have cleaned your shoes and equipment - we don't!
- If arriving by cruise ship you will be asked to step in foot baths or pass over disinfection mats.

## **ROLE OF INTERNATIONAL VISITORS ON DEPARTING:**

- Use any footbaths or mats provided.
- Before leaving the Falkland Islands ensure outdoor clothes, shoes and equipment are clean and disinfected.
- This is especially important if your next destination is South Georgia or Antarctica.

**IF A SUSPECT OR INFECTED PLACE, OR ZONE, IS DECLARED,  
RESTRICTIONS AND BIOSECURITY ACTIONS WILL BE MANDATORY**

# CRUISE VESSELS



## **ROLE OF CRUISE SHIP PASSENGERS AND CREW:**

- Shore excursion staff should be familiar with the International Association of Antarctica Tour Operator (IAATO) regulations and the specific requirements of their destinations.
- Passengers should be aware they will have to walk across biosecurity disinfection mats when leaving or returning to the ship.
- Passenger exchanges will be subject to all standard air biosecurity measures.
- Passengers disembarking for tours in the Falklands must be aware that there will be additional biosecurity measures at each destination and appropriate footwear and outdoor clothing should be worn.
- You will be encouraged NOT to place day packs on the ground or sit for long periods of time near wild birds or animals.
- You should keep 5-6m away from wildlife at all times (as per the Countryside Code)
- **There may be site closures at short notice.**

**IF A SUSPECT OR INFECTED PLACE, OR ZONE, IS DECLARED, RESTRICTIONS AND BIOSECURITY ACTIONS WILL BE MANDATORY**

# FIGAS AND AIRSTRIP OPERATORS



## **WHAT TO DO AS AN AIRSTRIP OPERATOR:**

- Create an area near the fire hut where people have access to brushes, buckets and disinfectant footbaths. Walking across airstrips to reach foot baths is not ideal but it is lower risk as passengers should have foot dipped on departure from their previous destination.
- Ensure arriving and departing passengers clean and disinfect boots and any out-door items of equipment such as tripods, walking poles or camping equipment.
- Note if any baggage, day packs or outdoor clothing needs to be cleaned or disinfected.
- FIG has provided foot baths and disinfectant to each operational airstrip. Contact the Biosecurity Service at the Department of Agriculture if you require more disinfectant or would like advice about enhanced biosecurity measures.
- There will be a footbath in operation at FIGAS at all times during the summer season.

**IF A SUSPECT OR INFECTED PLACE, OR ZONE, IS DECLARED, RESTRICTIONS AND BIOSECURITY ACTIONS WILL BE MANDATORY**

# TOUR AGENTS AND OPERATORS



## **ROLE OF TOUR AGENTS:**

- Ensure clients are aware of avian influenza and the biosecurity measures that are in place.
- Ensure your local operators are following biosecurity procedures.
- Ensure your local operators have equipment as required to carry out biosecurity measures.
- Ensure your operators are disinfecting between sites if multiple places are being visited in a day.
- Ensure your local operators are fully aware of the symptoms and risks of avian influenza in birds, animals and humans.

## **ROLE OF TOUR OPERATORS:**

- Ensure passengers are starting their tour with clean boots and equipment.
- Ensure passengers use foot baths where provided.
- Carry disinfectant and boot brush at all times so you can ensure boots are clean on re-entering your vehicle (Virkon or 3.5% bleach solution).
- Ensure passengers are not interacting with sick or dead wildlife (should remain 5-6m away).
- Report any sick or dead birds or animals, do not touch.
- Ensure your own boots and equipment are clean and disinfected before each tour.
- Be vigilant, note abnormal activity at the sites you are familiar with. Your knowledge and observations are extremely valuable.

**IF A SUSPECT OR INFECTED PLACE, OR ZONE, IS DECLARED, RESTRICTIONS AND BIOSECURITY ACTIONS WILL BE MANDATORY**

# LAND OWNERS, FARMERS AND FARM TOURS



## **ROLE OF LAND OWNERS, FARMERS AND FARM TOURS**

- Ensure guest accommodation has boot cleaning and disinfection stations.
- Ensure leaflets provided by the Biosecurity Service about avian influenza and boot cleaning are available for information.
- Lead by example and ensure boots, clothing and equipment used for guided tours or farm work are clean and disinfected.
- Ensure that your guests have clean boots and equipment before starting a tour or going near wildlife areas. Take mobile cleaning and disinfection kits with you if you are visiting wildlife areas on your tours or during normal farming operations. Brush off and spray/dip boots and equipment between sites.
- Take the time to observe wildlife areas for unusual symptoms or dead birds and animals before approaching.
- Check on colonies or sites on your land periodically if you do not do tours.
- Recently, cattle in USA have been confirmed as having and spreading avian influenza; therefore be vigilant and report any unusual symptoms in pets and livestock as well as wildlife. Do not drink raw milk from any cattle that appear unwell.
- Ensure visitors are not interacting closely with wildlife (this is not just for disease purposes). People should keep 5-6m from wildlife at all times (as per the Countryside Code).
- Do not allow visitors to touch sick or dead birds. Note and report them.
- Be vigilant, note abnormal activity at the sites you are familiar with. Your knowledge and observations are extremely valuable.
- Unusual sightings of dead or sick birds or animals around farm houses or settlements should be reported immediately.
- Do not move or touch the sick or dead birds or suspect animals without seeking advice from the Veterinary Service.

**IF A SUSPECT OR INFECTED PLACE, OR ZONE, IS DECLARED, RESTRICTIONS AND BIOSECURITY ACTIONS WILL BE MANDATORY**

# HOTELS, LODGES AND SELF-CATERING ACCOMMODATION



## **ROLE OF HOTELS AND LODGES IN STANLEY AND IN CAMP:**

- Ensure guest accommodation has boot cleaning and disinfection stations. Be amenable to allowing laundry to be done at 60°C.
- Ensure leaflets provided by the Biosecurity Service about avian influenza and boot cleaning are available for information.
- Lead by example and ensure boots, clothing and equipment used for guided tours are cleaned and disinfected.
- Ensure that your guests have clean boots and equipment before starting a tour or going near wildlife areas. Take mobile cleaning and disinfection kits with you if you are visiting wildlife areas on your tours. Brush off and spray/dip boots and equipment between sites.
- Take the time to observe wildlife sites for unusual symptoms or dead birds or animals before letting guests approach.
- Recently, cattle in USA have been confirmed as having and spreading avian influenza; therefore be vigilant and report any unusual symptoms in pets and livestock as well as wildlife. Do not drink raw milk from any cattle that appear unwell.
- Ensure visitors are not interacting closely with wildlife (this is not just for disease purposes). People should keep 5-6m from wildlife at all times (as per the Countryside Code).
- Do not allow visitors to touch sick or dead birds or animals. Note and report them.
- Be vigilant, note abnormal activity at the sites you are familiar with. Your knowledge and observations are extremely valuable.
- Unusual sightings of dead or sick birds or animals around settlements should be reported immediately. Do not move or touch them without seeking advice from the Veterinary Service.

**IF A SUSPECT OR INFECTED PLACE, OR ZONE, IS DECLARED, RESTRICTIONS AND BIOSECURITY ACTIONS WILL BE MANDATORY**

# POULTRY OWNERS



## **ROLE OF POULTRY OWNERS:**

- Keep poultry in enclosed runs so there is no mixing with wild birds i.e. small mesh or netting on fences.
- Consider a solid roof to the run so wild bird faeces cannot be dropped into the poultry area, especially on to food or water.
- Ensure wild birds do not have access to poultry food or water.
- Use dedicated boots and outer clothing for feeding poultry. This is especially important if you also visit wild birds sites (even if there is not yet any avian influenza suspected).
- Consider using a footbath at the entrance to the poultry run.

## **IF YOU SEE SIGNS OF AVIAN INFLUENZA IN YOUR POULTRY:**

- Report your observations to the Veterinary Service immediately.
- Do not touch the birds or collect eggs.
- Do not pick up any dead or sick birds.
- Ensure all clothing, boots and equipment is cleaned and sanitized.
- Do not travel to or enter another bird colony or poultry flock until you have fully cleaned or changed all clothing.



# POULTRY OWNERS

## **IF THERE IS A SUSPECT OR CONFIRMED AVIAN INFLUENZA OUTBREAK:**

- It will be mandatory to keep poultry separate from wild birds in the temporary control zone or protection zone.
- If the confirmed outbreak is in a poultry flock, the flock will have to be culled, as will those directly next door or within a specified zone (Stanley and settlements). This is because poultry spread the virus very easily so stamping out the disease is important.
- Movement restrictions of birds and eggs will apply in the control or protection zone and must be complied with.
- Properly cooked eggs and poultry products are safe to eat but egg collection will be prohibited from a suspected or confirmed flock due to the risk to human health while collecting the eggs.

## **RISK TO PEOPLE WHO HAVE POULTRY:**

- Avian influenza does not readily affect humans but if you do contract it, it is likely that you will be severely ill.
- Prolonged and close contact with poultry increases the chance of humans getting the disease which is why you are told not to handle sick or dead birds.



# FISHERIES SCIENTISTS AND FISHING OPERATIONS



## **ROLE OF CREW & OBSERVERS IN RELATION TO BY-CATCH BIRDS:**

- Crew or observers must wear precautionary PPE (see page 13) to handle birds or marine mammals found on deck.
- General postmortem examinations must be performed on board and carcasses disposed of at sea or incinerated. Full PPE should be worn for postmortem examinations.
- If it is considered essential for carcasses to be brought ashore prior approval should be sought from the Veterinary Service and should be double bagged and the outer bags sprayed thoroughly with disinfectant (Virkon or 3.5% bleach solution). Approval will be considered on a case by case basis and will be based on current outbreaks and risk.

## **ROLE OF CREW & OBSERVERS IN RELATION TO BIRD STRIKES:**

- Birds that would normally be nursed and released should not be retained on board, they should be released to the sea immediately.
- Crew or observers handling the birds should wear precautionary PPE.

# FISHERIES SCIENTISTS AND FISHING OPERATIONS

## **ROLE OF CREW & OBSERVERS WHEN THERE IS A SUSPECTED OR CONFIRMED CASES:**

- Birds or marine mammals found dead in any number at sea or showing any symptoms of avian influenza should be reported to the veterinary service immediately.
- Observers or scientists may be asked to swab suspect birds or mammals for HPAI and should follow instructions carefully and wear full PPE.
- Research directly related to population monitoring or avian influenza dynamics can occur but full PPE must be worn (see page 13).
- NO birds or carcasses should be brought ashore without prior approval of the veterinary service.

**IF A SUSPECT OR INFECTED PLACE, OR ZONE, IS DECLARED, RESTRICTIONS AND  
BIOSECURITY ACTIONS WILL BE MANDATORY**



# RESEARCHERS AND OTHER LICENCE HOLDERS

## LICENCE HOLDERS



### **ROLE OF RESEARCHERS AND OTHER LICENCE HOLDERS (WHILE THERE ARE NO SUSPECTED OR CONFIRMED CASES):**

- Read your research/egging/shooting licence carefully and be aware of conditions attached to it.
- Appropriate PPE must be worn and cleaning and disinfecting measures applied (see pages 12 and 13).
- If clothing or equipment cannot be adequately cleaned (disinfected or washed at 60°C), it should not be brought to the Falkland Islands or used in the field when conducting research or other activities.
- Thoroughly clean boots, equipment and outer clothing every time you enter or leave your research or licensed site.
- Before entering your research or licensed site quietly observe the birds for 5-10 minutes. If there are increased deaths or signs (page 2) of avian influenza do not enter, report and wait for instructions.
- Do not sit on the ground for prolonged periods and minimise equipment brought onto the site.
- Consider having a location to store equipment external to the wild bird site / research site. Additional clothing, emergency equipment, food, water and items not required for the field research should be kept outside the wild bird site. A distance of 100 meters would be recommended. This will reduce risk of transfer of faecal material to equipment.

# RESEARCHERS AND OTHER LICENCE HOLDERS

- Wear precautionary PPE (page 13) to handle birds.
- Do not move between research sites without thorough cleaning in between.
- Avoid mixing with poultry flocks. Ensure you use completely different boots and clothing if you have to.

## **ROLE OF RESEARCHERS & LICENSE HOLDERS IF THERE IS A SUSPECTED OR CONFIRMED OUTBREAK:**

- Research activities and certain licensed activities in suspect areas **may** be stopped while results of tests are received.
- If there is a confirmed case and a declaration is made for an infected place or protection zone, all researchers and license holders operating within these areas must comply with any restrictions or requirements specified for such areas in the declaration.
- Restrictions and requirements will depend on the level of response declared. For example, in some cases research may continue but researchers should consider if other (non-suspect) sites can be used instead. Regardless, researchers should always move from known 'clean' sites to the 'dirty' sites. In level 3 responses, any research that involves handling animals or birds that is not directly related to avian influenza dynamics or animal or bird population monitoring must stop while the declaration is in place. Research that is permissible must be carried out wearing full PPE (see Page 13). Research that does not involve direct contact with animals may be allowed to continue as long as strict biosecurity measures are adhered to – researchers will be advised by FIG on a case-by-case basis.
- Please be aware each declaration may have different requirements/permissions depending on the site and animals affected.
- Licenses for egging will likely be suspended as this would be high risk to human health.
- If you are a researcher you may be asked to carry out distance observational studies on the birds or colony.

**IF A SUSPECT OR INFECTED PLACE, OR ZONE, IS DECLARED,  
RESTRICTIONS AND BIOSECURITY ACTIONS WILL BE MANDATORY**

# MERCHANT VESSELS



## **ROLE OF MERCHANT VESSELS IN RELATION TO BIRDS:**

- Crew handling any birds (bird strikes or sick birds) should wear precautionary PPE (see page 13).
- Bird strike victims that would normally be nursed and released should not be retained on board, they should be released to the sea immediately.
- Sick or dead birds should be returned to sea and nursing or euthanasia should not be attempted.
- Birds or marine mammals seen dead in any number at sea or showing any symptoms of avian influenza should be reported.

## **ROLE OF MERCHANT VESSELS IN RELATION TO GENERAL OPERATIONS:**

- Ensure boots are disinfected on departure from previous ports and before disembarking in the port of Stanley.

**IF A SUSPECT OR INFECTED PLACE, OR ZONE, IS DECLARED,  
RESTRICTIONS AND BIOSECURITY ACTIONS WILL BE MANDATORY**

# YACHTS AND PRIVATE VESSELS



## **ROLE OF YACHTS AND PRIVATE VESSELS IN RELATION TO BIRDS:**

- Crew handling any birds or marine mammals should wear precautionary PPE.
- Bird strike victims that would normally be nursed and released should not be retained on board, they should be released to the sea immediately.
- Sick or dead birds or marine mammals should be returned to sea and nursing or euthanasia should not be attempted.
- Birds or marine mammals seen dead in any number at sea or showing any symptoms of avian influenza should be reported.

## **ROLE OF YACHTS AND PRIVATE VESSEL OWNERS WHEN GOING ASHORE:**

All yacht crew and visitors should note the following when planning a shore excursion:

- You must have provision on board to clean and disinfect boots and equipment.
- Foot baths will be available to you in Stanley however you must use your own equipment if going ashore elsewhere as foot-baths may not be accessible.
- Boots and equipment must be cleaned and disinfected (Virkon or 3.5% bleach) every time you go ashore and then again when leaving a site. Rinsing well in seawater is an acceptable alternative.

# YACHTS AND PRIVATE VESSELS

## **ROLE OF YACHTS AND PRIVATE VESSEL OWNERS BEFORE LANDING/ENTERING A WILDLIFE SITE:**

- Conduct an observation period for at least 5-10 minutes prior to entering an area with high seabird or marine mammal densities.
- Although some mortality is natural, especially of juveniles, you should note and report if there are unusually high levels of mortality or birds or animals exhibiting any of the common signs of avian influenza.

## **ROLE OF YACHTS AND PRIVATE VESSEL OWNERS IF THERE IS SUSPECTED OR CONFIRMED CASE:**

**IF A SUSPECT OR INFECTED PLACE, OR ZONE, IS DECLARED, RESTRICTIONS AND BIOSECURITY ACTIONS WILL BE MANDATORY**

**SITES MAY BE CLOSED**

